



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/237,827	01/27/1999	JOHN S. HENDRICKS	026880.00013	7009
4372	7590	01/21/2010		
ARENT FOX LLP 1050 CONNECTICUT AVENUE, N.W. SUITE 400 WASHINGTON, DC 20036			EXAMINER SALCE, JASON P	
			ART UNIT	PAPER NUMBER
			2421	
			NOTIFICATION DATE	DELIVERY MODE
			01/21/2010	ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

DCIPDocket@arentfox.com  
IPMatters@arentfox.com  
Patent\_Mail@arentfox.com

<b>Office Action Summary</b>	<b>Application No.</b> 09/237,827	<b>Applicant(s)</b> HENDRICKS ET AL.	
	<b>Examiner</b> Jason P. Salce	<b>Art Unit</b> 2421	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 28 December 2009.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-31,63 and 107-109 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-31,63 and 107-109 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/28/2009 has been entered.

### ***Election/Restrictions***

Applicant is reminded that withdrawn claims 32-62 and 64-106 must include cancellation of nonelected claims. The Restriction Requirement has been made FINAL. See MPEP § 821.01.

### ***Response to Arguments***

Applicant's arguments with respect to claims 1-31, 63 and 107-109 have been considered but are moot in view of the new ground(s) of rejection. The Examiner has added an additional rejection based on the Yoshimune reference of record (**see below**).

Applicant's arguments filed 12/28/2009 have been fully considered but they are not persuasive.

Art Unit: 2421

In regards to independent claims 1, 18 and 107-108, the claims still read on the prior art of record (**see the updated rejection below**).

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1 and 107 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Referring to claims 1 and 107, the claims recite that multiple components strictly reside within the library unit (**transmitter, electronic collection of electronic books, means for associating, means for storing, means for receiving, a menu generator, means for selecting and a display**). The Examiner notes that according to Applicant's specification, not all of the components reside within the library (**see for example Figure 2 where the viewer is separate from the viewer/display**).

### ***Claim Rejections - 35 USC § 102***

Art Unit: 2421

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 18, 63 and 107-109 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Yoshimune et al. (U.S. Patent No. 6,438,233).

Referring to claim 1, Yoshimune discloses a system for transmitting and receiving text **(see Figure 49 for an electronic book system that transmits and receives electronic book text)**, and displaying an indication of the text **(see display unit 66 in Figure 50)**, wherein the text is transmitted in an electronic signal **(see Figure 49 for the electronic book being transmitted to terminal 55D through an electronic signal and Figure 50 for the electronic book being transmitted from book display unit 63D to display unit 66 through an electronic signal)**.

Yoshimune also discloses a processor that produces an electronic signal containing a representation of textual data corresponding to one or more electronic books **(see Figure 8 for the computer 56 having a processor 81 that controls the elements of computer 56, such as the display controller 85, which generates the electronic book displayed on display unit 66 (see Column 14, Lines 54-64))**.

Yoshimune also discloses a transmitter, connected to the processor that transmits the electronic signal **(see Figure 8 and Column 14, Lines 54-64 for the display controller 85 connected to processor 82, which transmits the electronic book/signal to the display unit 66)**.

Yoshimune also discloses a home subsystem (**see terminal 55D in Figure 49**), wherein the home subsystem includes:

a connector that receives the electronic signal (**see the bus connecting the component in Figure 8 for receiving the electronic signal from the broadcast receiving interface 87**)

means, connected to the connector, for selecting a portion of the textual data (**see book data management unit 62 in Figure 50 and the keyboard interface 88 and mouse interface 89, which receives selections from operation input unit 65 (see Column 13, Lines 38-56), wherein the user selects a portion of textual data (see Figure 31 for a user selecting a portion “COMICSXX” from the “COMICS” textual data)**), comprising means for receiving a subscriber entry indicating a title of an electronic book (**see again Figure 31 for selecting a title “COMICSXX”**), wherein the title correlates to a portion of the textual data (**see again Figure 31 for the title “COMICSXX” corresponding to a portion of the “COMICS” textual data**).

a library (**see computer 56D**) comprising:

the transmitter and an electronic collection of electronic books (**see again book data management unit 62 and book data storage unit 61 attached to memory 64 in Figure 50**), ordered and transmitted electronically via the transmitter (**see Column 13, Lines 38-56**), wherein in response to a transmitted order, the ordered electronic book is transmitted from a remote operations center to the home subsystem and stored in the library unit of the home subsystem until a selection is received to view the electronic book (**see Column 11-18 for a transmitted order being made from a**

Art Unit: 2421

**book data broadcast management unit 53 according to registered broadcast schedule and Column 13, Lines 24-37 for receiving the ordered electronic books).**

means for associating subscriber-created data with individual electronic books located in the collection of electronic books (**see Figure 53 for allowing a user to enter subscriber-created data associated with the electronic books viewed by a user on a display unit, wherein the displayed book is an electronic book selected by the user from the collection of electronic books).**

means for storing the subscriber-created data with individual electronic books (**see Figures 51-53 for entering subscriber-created data with an individual electronic book (*the Examiner notes that by entering the data on the display screen along with the displayed electronic book that both the displayed electronic book and subscriber-created data are both inherently stored in a display buffer/storage until the user accesses the transmission button to transmit the data back to the central facility/book server*)**) located in the collection of electronic books (**see again book data storage unit 61 and memory 64 where the individual electronic book is located in the collection of electronic books).**

means for receiving a subscriber-entered selection (**see Column 13, Lines 38-56 for receiving a book selection).**

a menu generator that determines and generates a particular library of the books located in the collection based on a default menu and generates a searchable menu of the electronic books in the electronic book collection (**see Column**

Art Unit: 2421

**13, Lines 41-44 for generating a book menu that contains a searchable menu of electronic books from the electronic book collection stored in memory unit 64).**

means for selecting search criteria for the searchable menu based on the subscriber-entered selection (**see Column 13, Lines 44-47 for specifying search criteria such as author name**).

a display, connected to the connector (**see display unit 66 in Figures 8 and 50**), that displays the particular library menu of books relating to the determination of the menu generator (**see Column 13, Lines 41-44 for displaying the menu generated**), and displays the subscriber-created data associated with each of the books included in the particular library menu (**see Figure 53 and Column 41, Line 55 through Column 42, Line 57 for displaying the subscriber-created data on the display unit 66** ).

Referring to claims 18 and 107-108, see the rejection of claim 1.

Referring to claims 63 and 109, see the rejection of claim 1 and further note that Yoshimune teaches that the electronic purchase order is transmitted from the library unit to the remote operations center (**see Column 43, Line 60 through Column 44, Line 2**).

Referring to the remaining dependent claims, see the rejections below for the references that teach any missing limitations not taught by Yoshimune.



***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-2, 7-8, 10-13, 18-19, 22-24, 26-29 and 107-108 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,093,718 to Hoarty et al. in view of Kubota (U.S. Patent No. 5,506,902) in further view of Redford et al. (U.S. Patent No. 5,624,265) in further view of Tanigawa et al. (U.S. Patent No. 5,696,982) in further view of Duga et al. (U.S. Patent No. 6,195,667).

Regarding Claim 1, Hoarty discloses a system for transmitting and receiving text (Col. 6, Lines 36-39) and displaying an indication of the text (Col. 11, Lines 11-23), wherein the text is transmitting in an electronic signal (Col. 8, Lines 18-54), the system comprising a processor (See Figure 2, head-end computer 8) that produces an electronic signal containing a representation of the textual data as stated above, a transmitter connected to the processor (Col. 8, Lines 30-34) and a connector (home interface controller, See Figure 1, 16 and Col. 5, Lines 24-30) that receives the electronic signal (Col. 5, Lines 31-34 and Col. 8, Lines 7-9). Further disclosed is a TV (See Figure 3, 38). This reads on the claimed display, connected to the connector

Art Unit: 2421

(home interface controller) that displays a particular library menu (Col. 13, Lines 17-20) relating to the textual data and based upon a subscriber-entered selection (Col. 11, Lines 11-23).

Hoarty also discloses means, connected to the connector (see remote controls 40 and 56 and remote control infrared transceiver 78), for selecting a portion of the textual data (see Column 9, Lines 7-10 and Column 10, Lines 34-39 and Column 11, Lines 11-15 and Lines 42-46), comprising means for receiving a subscriber entry indicating a title of the textual data (see Column 12, Lines 28-35 for showing the user titles of programs to select and by the use of the remote control, select a channel (see Column 15, Lines 5-6)), wherein the title correlates to a portion of the textual data (note that the channel selected inherently correlates to a portion of the textual data (the title displayed in the program guide)).

Hoarty fails to teach offering the interactive service of electronic books that can be selected in an interactive guide.

Kubota discloses a library (see recorder 7 in Figure 14) that stores an electronic collection of electronic books (see Column 9, Lines 15-28) and a menu generator that determines whether to generate a menu of the books located in the collection based on a subscriber's entry and a default menu (see Column 9, Lines 1-9 and Column 10, Lines 1-9 for instructing the system to display an initial page which displays a list of potential books, where the list is displayed first and therefore the user must select the list from a previously displayed page).

Art Unit: 2421

Kubota further discloses associating subscriber-created data (user request) with individual electronic books located in the collection of electronic books (see Figures 12(a) through 12(b) and Column 9, Lines 1-9) and displaying the subscriber-created data (selected book) associated with each of the books included in the particular menu (see again Figures 12(a) through 12(b) and Column 9, Lines 1-9).

**Kubota also teaches that a transmitter for transmitting electronic books to a display unit is located at the library (see recorder 7 or data receiver 6 transmitting the electronic book to either TV 10 or portable terminal 8).**

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art to modify the electronic book system, as taught by Redford, using the electronic book system with menu generation, as taught by Kubota, for the purpose of presenting substantially no inconvenience in displaying only a selected article (see Column 10, Lines 8-9 of Kubota).

Although Kubota teaches that electronic books can be transmitted electronically, as well as Hoarty and Kubota both teaching a home subsystem (see Figure 8 of Hoarty and Figure 1 of Kubota), Hoarty and Kubota fail to teach that the electronic books can be ordered and transmitted electronically via a transmitter.

Redford discloses ordering and transmitting electronic books via transmitter (see Column 15, Lines 39-50), wherein in response to a transmitted order, the ordered electronic book is transmitted from a remote operations center to the home subsystem and stored in the library unit of the home subsystem until a selection is received to view

Art Unit: 2421

the electronic book (see Figures 1E and 4A-4B and Column 13, Line 34 through Column 14, Line 9 and Column 18, Line 57 through Column 21, Line 57).

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art, to modify the electronic book system, as taught by Hoarty and Kubota, using the ordering process, as taught by Redford, for the purpose of utilizing remote storage devices that are capable of storing a greater amount of electronic book content (see Figure 1E for multiple remote storage devices 132A-132D).

Hoarty, Kubota and Redford fail to teach means for storing the subscriber-created data with individual electronic books located in the collection of electronic books.

Tanigawa also discloses a means for associating subscriber-created data with individual electronic books located in the collection of electronic books (**see the third embodiment in Figure 11 and Column 10, Line 17 through Column 11, Line 41**) and a means for storing the subscriber-created data with individual electronic books located in the collection of electronic books (**see marker storage unit 122 in Figure 11**).

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art, to modify the electronic book system, as taught by Hoarty, Kubota and Redford, using the page marking feature, as taught by Tanigawa, for the purpose of easily retrieving pages in an electronic book system (**see Column 4, Lines 5-6 of Tanigawa**).

Hoarty, Kubota and Redford and Tanigawa fail to teach means for receiving one of a subscriber-entered selection or a subscriber-defined selection and generating a particular library menu based on the received selection.

Duga discloses receiving a subscriber-entered selection and generating a particular library menu based on the received selection or a default menu (**see Figures 3 and 4A-4B and Column 3, Line 40 through Column 5, Line 42**).

Duga teaches generating a searchable menu of the electronic books in the electronic books collection (**see Column 2, Lines 29-46 and Column 3, Lines 50-56 for generating and displaying a searchable menu of electronic books**). Duga further teaches a process for continually updating a dynamic menu based on previous menu selections of electronic books in the dynamic menu (**see Column 3, Line 61 through Column 5, Line 42 and Figures 3-4**), which selects search criteria for the searchable menu based on the subscriber-entered selection (**see Column 4, Line 17 through Column 5, Line 42 and Figure 4 for selecting a tag after a user makes a selection (based on the subscriber-entered selection) which is used to select criteria to manipulate the dynamic menu**).

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art, to modify the menu display functionality, as taught by Hoarty, Kubota and Redford and Tanigawa, using the dynamic menu functionality, as taught by Duga, for the purpose of displaying and updating a dynamic menu on a display screen of a viewing device when it is on-line with a server (**see Column 1, Lines 45-47 of Duga**).

Regarding Claim 2, Hoarty discloses a system as stated above in Claim 1, wherein the processor produces the electronic signal as a video formatted composite signal (Col. 8, Lines 30-46).

Regarding Claim 7, Kubota discloses a default menu (see Figure 12(a)).

Regarding Claim 8, Hoarty discloses a system as stated above in Claim 1, wherein the connector (home interface terminal) comprises a set top terminal (Col. 5, Lines 24-27) with a memory (See Figure 8, 80). It is inherent in such a GUI-based system with on-screen text and icons (Col. 7, Lines 1-6) that data must be stored memory. Further disclosed is that the display comprises a television (See Figure 9, 38).

Regarding Claim 10, Hoarty discloses a system as stated above in Claim 1, wherein the head-end system transmits digital data using a modulated carrier (Col. 8, Lines 35-42) on an analog television channel. This reads on the claimed processor (head end computer) comprising an encoder.

Regarding Claims 11 and 12, Hoarty discloses a system as stated above in Claim 1, wherein the head-end broadcasts data over a cable TV system (Col. 8, Lines 43-46). This reads on the claimed transmitter module comprising a broadcast television transmitter.

Regarding Claim 13, Hoarty discloses a system as stated above in Claim 12, wherein the connector (home interface controller) is connected to the cable television network (See Figure 9). This reads on the claimed connector comprising a cable connector. The connector receives interactive data on a dedicated television channel (Col. 13, Lines 1-25). This reads on the claimed extracting textual data from the video formatted composite signal (CATV signal).

Regarding Claim 18, see Claims 1 and 10 above.

Regarding Claim 19, see Claim 2 above.

Regarding Claim 22, Hoarty discloses a method as stated above in Claim 18, further comprising receiving an indication of a selected portion of the textual data identified by the menu and displaying the selected portion of the textual data (Col. 7, Lines 1-6).

Regarding Claim 23, see Claim 7 above.

Regarding Claim 24, Hoarty discloses a method as stated above in Claim 18, wherein the set top terminal receives a video signal from the CATV network (See Figure 3) as stated above. Further disclosed is that the set top terminal has a memory (See

Art Unit: 2421

Figure 8, 80) for storage of selected textual data, as stated above. Also, the set top terminal uses a television (See Figure 3, 38) to display the menu, as stated above.

Regarding Claims 26 and 27, see Claims 10 and 11 above, respectively.

Regarding Claim 28, Hoarty discloses a method as stated above in Claim 19, wherein the head-end transmits the text data in an RF carrier using modulation (Col. 8, Lines 35-46) in a separate channel space between physical TV channels. This reads on the claimed sending textual data without any video. The textual data is received by a node, which then supplies the data via a dedicated full-bandwidth video channel to the user (Col. 13, Lines 1-10 and Lines 21-58). This reads on the claimed using the textual data to fill an entire channel of video, and using a cable television transmitter to send the textual data.

Regarding Claim 29, see Claim 13 above.

Referring to claims 107-108 see the rejection of claim 1.

Claims 63 and 109 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,093,718 to Hoarty et al. in view of Kubota (U.S. Patent No. 5,506,902) in further view of Redford et al. (U.S. Patent No. 5,624,265) in further view of Tanigawa et al. (U.S. Patent No. 5,696,982) in further view of Duga et al. (U.S. Patent No. 6,195,667) in further view of Yoshimune et al. (U.S. Patent No. 6,438,233).



Art Unit: 2421

Referring to claim 63, Hoarty, Kubota, Redford, Tanigawa and Duga teach the majority of the claim limitations, but fail to teach that the electronic purchase order is transmitted from the library unit to the remote operations center.

Yoshimune discloses an electronic purchase order is transmitted from the library unit to the remote operations center (**see Column 43, Line 60 through Column 44, Line 2**).

At the time the invention was made, it would have been obvious to a person of ordinary skill in the art, to modify the electronic book system, as taught by Hoarty, Redford, Tanigawa and Duga, using the ordering system of Yoshimune, for the purpose of charging according to the accesses to the book data actually made (**see Column 1, Lines 13-14 of Yoshimune**).

Referring to claim 109, see the rejection of claim 63.

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hoarty et al. in view of Kubota in further view of Redford in further view of U.S. Patent No. 5,210,611 to Yee et al in further view of Tanigawa et al. (U.S. Patent No. 5,696,982) in further view of Duga et al. (U.S. Patent No. 6,195,667).

Regarding Claim 3, Hoarty, Kubota, Redford, Tanigawa and Duga disclose a system as stated above in Claim 1, but fail to teach that the processor produces the electronic signal as a signal to be transmitted over a telephone system.

Art Unit: 2421

Yee discloses a system for transmitting and receiving teletext (Col. 9, Lines 55-58) for use on a television (Col. 6, Lines 39-43). Yee further discloses that data may be transmitted over telephone lines and received at the user's terminal via a modem (Col. 9, Lines 63-67). Yee is evidence that ordinary workers in the art would appreciate the ability to use an electronic signal transmitted over a telephone signal in a television-based text transmission system.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Hoarty, Kubota, Redford, Tanigawa and Duga, with the telephone transmission of data of Yee in order to allow users to receive data from other private sources as taught by Yee (Col. 9, Lines 63-67).

Claims 4-5, and 20-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoarty et al. in view of Kubota in further view of Redford in further view of U.S. Patent No. 5,632,022 to Warren et al in further view of Tanigawa et al. (U.S. Patent No. 5,696,982) in further view of Duga et al. (U.S. Patent No. 6,195,667).

Regarding Claim 4, Hoarty, Kubota, Redford, Tanigawa and Duga disclose a system as stated above in Claim 1, but fail to teach that the display displays an electronic representation of books on a bookshelf, related to the textual data.

Warren discloses a graphical user interface (Col. 6, Lines 19-22) that uses a bookshelf metaphor (See Figure 1, Col. 6, Lines 1-10 and 36-43) to browse and query

Art Unit: 2421

(Col. 7, Lines 29-32) information. Warren is evidence that one of ordinary skill in the art would appreciate the ability to represent data as books on a bookshelf.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Hoarty, Kubota, Redford, Tanigawa and Duga with the bookshelf metaphor of Warren in order to present users with an immediately familiar method of accessing data as disclosed by Warren (Col. 6, Lines 39-67).

Regarding Claim 5, Hoarty discloses a system as stated above in Claim 1. Further, Hoarty in view of Warren discloses a system as stated above in Claim 4. Warren further discloses formatting the menu according to category (See Figure 1 and Col. 7, Line 48-64).

Regarding Claims 20 and 21, see Claims 4 and 5 above, respectively.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hoarty et al. in view of Kubota in further view of Redford in further view of U.S. Patent No. 4,361,848 to Poignet et al in further view of Tanigawa et al. (U.S. Patent No. 5,696,982) in further view of Duga et al. (U.S. Patent No. 6,195,667).

Regarding Claim 6, Hoarty, Kubota, Redford, Tanigawa and Duga disclose a system as stated above in Claim 1, wherein the set top comprises a microprocessor

Art Unit: 2421

(See Figure 8, 80) that receives an indication of a selected portion of the textual data identified by the menu (Col. 10, Lines 10-14), and wherein the display displays the selected portion of the textual data (Col. 7, Lines 1-6), but fail to teach that the display comprises the microprocessor that receives the indication.

Poignet discloses a teletext system for broadcasting pages to a television receiver wherein the reception terminal may be integrated with the television receiver (Col. 4, Lines 51-60). This reads on the claimed display comprising a microprocessor.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Hoarty, Kubota, Redford, Tanigawa and Duga with the set top integrating with the television of Poignet in order to reduce the cost and complexity of the user's systems as well as the required wiring/setup.

Claims 9, 14-17, 25 and 30-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hoarty et al. in view of Kubota, in further view of Redford in further view of U.S. Patent No. 5,475,399 to Borsuk in further view of Tanigawa et al. (U.S. Patent No. 5,696,982) in further view of Duga et al. (U.S. Patent No. 6,195,667).

Regarding Claim 9, Hoarty, Kubota, Redford, Tanigawa and Duga disclose a system as stated above in Claim 1, but fail to teach that the display comprises a portable, hand-held viewer.

Art Unit: 2421

Borsuk discloses a hand-held portable reading unit (See Figure 1) that is connected to a computer and modem (See Figure 5 and Col. 6, Lines 1-20) for reading text (Col. 4, Lines 35-41 and Col. 5, Lines 57-67).

Borsuk is evidence that ordinary workers in the art would appreciate the ability to use a portable device to read textual data.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Hoarty, Kubota, Redford, Tanigawa and Duga with the portable reader of Borsuk in order to allow a user to read content wherever or whenever they choose (Col. 1, Lines 23-29).

Regarding Claim 14, Hoarty, Kubota, Redford, Tanigawa and Duga disclose a system as stated above in Claim 1. Hoarty in view of Borsuk further discloses a system as stated above in Claim 9. Borsuk further discloses a library unit, such as a computer (See Figure 5), connected to a connector such as a modem (Col. 6, Lines 15-17), for processing textual data. The PC acts as a mass storage database (Col. 6, Lines 1-2) that receives data from remote locations as stated above. This reads on the claimed digital logic for screening textual data and a memory for storing the data. Further, a viewer (See Figure 1) interfaces with the library unit electronically (See Figure 5 and Col. 6, Lines 4-9), the viewer displaying the textual data as text (Col. 5, Lines 57-67).

Regarding Claim 15, Hoarty, Kubota, Redford, Tanigawa and Duga in view of Borsuk disclose a system as stated above in Claim 14. Borsuk discloses that a PC

Art Unit: 2421

(library unit) stores text files (Col. 6, Lines 15-17) for transmission to a portable reader as stated above. Further disclosed is that the PC contains a screen and a user interface, such as a keyboard (See Figure 5 and Col. 6, Line 10). It would be obvious to one having ordinary skill in the art at the time the invention was made that a computer with a display that stores text files locally would be able to display the stored text files with a viewer such as a text viewing program. This reads on the claimed library unit (computer) and viewer (viewing program) being contained within a common housing.

Regarding Claim 16, Hoarty, Kubota, Redford, Tanigawa and Duga in view of Borsuk disclose a system as stated above in Claim 14. Borsuk further discloses that the portable viewer has a memory (See Figure 2, RAM 44) for storing text data (Col. 4, Lines 35-39) received from the library unit (Col. 6, Lines 1-9). Further disclosed is a microprocessor (40) connected to the second memory (See Figure 2) for controlling the functions of the viewer. Also disclosed is a digital display circuit (50) for creating displays (Col. 4, Lines 15-18) and a liquid crystal display (Col. 3, Line 49) connected to the digital display circuitry (See Figure 2, 8) for displaying text.

Regarding Claim 17, Hoarty, Kubota, Redford, Tanigawa and Duga in view of Borsuk disclose a system as stated above in Claim 14. Borsuk further discloses that the portable viewer comprises a storage media device insert port in which an EEPROM memory device is received (Col. 3, Lines 57-62). This reads on the claimed second memory comprising a removable electronic card memory.

Regarding Claim 25, see Claim 9 above.

Regarding Claims 30 and 31, see Claims 14 and 15 above, respectively.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason P. Salce whose telephone number is (571) 272-7301. The examiner can normally be reached on M-F 9am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Miller can be reached on (571) 272-7353. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 09/237,827

Page 23

Art Unit: 2421

/Jason P Salce/  
Primary Examiner, Art Unit 2421

Jason P Salce  
Primary Examiner  
Art Unit 2421

January 11, 2010